

Author Index

Abraczinskas, D.R., see Hooi, S.C. (51) 15 Ahmad, S., see Wood, G.K. (51) 69

Alcaraz, G., Sampo, B., Tricaud, N., Giraud, P., Martin-Eauclaire, M.-F., Couraud, F. and Dargent, B.

Down-regulation of voltage-dependent sodium channels coincides with a low expression of $\alpha\beta_1$ subunit complexes (51) 143

Aloe, L., see Calzà, L. (51) 60 Arbel, A., see Grifman, M. (51) 179

Bartke, I., see Laurie, D.J. (51) 23 Battaglino, P.B., see Fathi, Z. (51) 49 Blomqvist, A., see Hermanson, O. (51) 188 Brophy, P.J., see Rogers, K.R. (51) 161

Calzà, L., Giardino, L. and Aloe, L.
NGF content and expression in the rat pituitary gland and regulation by thyroid hormone (51) 60

Cardinaux, J.-R., Magistretti, P.J. and Martin, J.-L.

Brain-derived neurotrophic factor stimulates phosphorylation of stathmin in cortical neurons (51) 220

Carvalho, A.P., see Gonçalves, P.P. (51) 106 Chae, H.-D., see Kim, J.-S. (51) 154 Chapleau, M.W., see Meyrelles, S.S. (51) 33 Couraud, F., see Alcaraz, G. (51) 143 Crestani, F., see Penschuck, S. (51) 212 Cunningham, A.M., see Fathi, Z. (51) 49

Dargent, B., see Alcaraz, G. (51) 143 Davidson, B.L., see Meyrelles, S.S. (51) 33 Dawson, S.J., see Deans, Z.C. (51) 1

Deans, Z.C., Dawson, S.J., Kilimann, M.W., Wallace, D., Wilson, M.C. and Latchman, D.S.

Differential regulation of genes encoding synaptic proteins by the Oct-2 transcription factor (51) 1

Delcroix, J.-D., Tomlinson, D.R. and Fernyhough, P.

Diabetes and axotomy-induced deficits in retrograde axonal transport of nerve growth factor correlate with decreased levels of p75^{LNTR} protein in lumbar dorsal root ganglia (51) 82

Elgavish, S., see Grifman, M. (51) 179

Fathi, Z., Cunningham, A.M., Iben, L.G., Battaglino, P.B., Ward, S.A., Nichol, K.A., Pine, K.A., Wang, J., Goldstein, M.E., Iismaa, T.P. and Zimanyi, I.A. Cloning, pharmacological characterization and distribution of a novel galanin receptor (51) 49

Fernyhough, P., see Delcroix, J.-D. (51) 82 Fischer-Colbrie, R., see Tsunashima, K. (51) 42 Flores, G., see Wood, G.K. (51) 69 Fluharty, S.J., see Yee, D.K. (51) 238 Fritschy, J.-M., see Lüscher, B. (51) 197 Fritschy, J.-M., see Penschuck, S. (51) 212

Giardino, L., see Calzà, L. (51) 60 Ginzberg, D., see Grifman, M. (51) 179 Giraud, P., see Alcaraz, G. (51) 143 Glick, D., see Grifman, M. (51) 179 Goldman, D., see Hoover, F. (51) 123 Goldstein, M.E., see Fathi, Z. (51) 49 Gonçalves, P.P., Carvalho, A.P. and Vale, M.G.P.

Regulation of [γ-³ H]aminobutyric acid transport by Ca²+ in isolated synaptic plasma membrane vesicles (51) 106 Griffin, M., see Rogers, K.R. (51) 161

Grifman, M., Arbel, A., Ginzberg, D., Glick, D., Elgavish, S., Shaanan, B. and Soreq, H. In vitro phosphorylation of acetylcholinesterase at non-consensus protein kinase A sites enhances the rate of acetylcholine hydrolysis (51) 179

Guo, W., Shimada, S., Tajiri, H., Yamauchi, A., Yamashita, T., Okada, S. and Tohyama, M.

Developmental regulation of Na⁺/myo-inositol cotransporter gene expression (51) 91

Hankin, M.H., see Hoover, F. (51) 123 Häuselmann, R., see Lüscher, B. (51) 197 Heerding, J.N., see Yee, D.K. (51) 238 Hermanson, O. and Blomqvist, A.

Differential expression of the AP-1/CREbinding proteins FOS and CREB in preproenkephalin mRNA-expressing neurons of the rat parabrachial nucleus after nociceptive stimulation (51) 188

Hinkle, D.A., see Niu, H. (51) 97 Hooi, S.C., Koenig, J.I., Abraczinskas, D.R.

and Kaplan, L.M. Regulation of anterior pituitary galanin gene expression by thyroid hormone (51) 15

Hoover, F., Hankin, M.H., Radel, J.D., Reese, J.S. and Goldman, D.

Axon-target interactions maintain synaptic gene expression in retinae transplanted to intracranial regions of the rat (51) 123

Iben, L.G., see Fathi, Z. (51) 49 Ide, K., see Tukamoto, T. (51) 8 Iismaa, T.P., see Fathi, Z. (51) 49 Ishida, H., see Kikuchi, K. (51) 229

Johnson, R.W., see Yao, J. (51) 170

Kanazawa, I., see Tukamoto, T. (51) 8
Kaplan, L.M., see Hooi, S.C. (51) 15
Kikuchi, K., Ishida, H. and Kimura, T.
Molecular cloning of a novel member of
semaphorin family genes, semaphorin Z (51)
229

Kilimann, M.W., see Deans, Z.C. (51) 1 Kim, J.-E., see Oh, Y.J. (51) 133 Kim, J.-S., Nam, J.-S., Chae, H.-D. and Kim, K.-T.

A protein kinase C-activating phorbol ester enhances transcription of the human DBH gene through a cyclic AMP response element in SK-N-BE(2)C cells (51) 154

Kim, K.-T., see Kim, J.-S. (51) 154 Kimura, T., see Kikuchi, K. (51) 229 Kisley, L.R., see Yee, D.K. (51) 238 Koenig, J.I., see Hooi, S.C. (51) 15

Latchman, D.S., see Deans, Z.C. (51) 1 Laurie, D.J., Bartke, I., Schoepfer, R., Naujoks, K. and Seeburg, P.H.

Regional, developmental and interspecies expression of the four NMDAR2 subunits, examined using monoclonal antibodies (51) 23

Leitgeb, S., see Lüscher, B. (51) 197
Liang, J.-J., see Wood, G.K. (51) 69
Lüscher, B., Häuselmann, R., Leitgeb, S.,
Rülicke, T. and Fritschy, J.-M.
Neuronal subtype-specific expression directed by the GABA_A receptor δ subunit gene promoter/upstream region in transgenic mice and in cultured cells (51) 197

Magistretti, P.J., see Cardinaux, J.-R. (51) 220 Martin-Eauclaire, M.-F., see Alcaraz, G. (51) 143

Lüscher, B., see Penschuck, S. (51) 212

Martin, J.-L., see Cardinaux, J.-R. (51) 220
Meyrelles, S.S., Sharma, R.V., Whiteis, C.A., Davidson, B.L. and Chapleau, M.W.
Adenovirus-mediated gene transfer to cultured nodose sensory neurons (51) 33
Miledi, R., see Ni, Y.G. (51) 115



Author Index

Abraczinskas, D.R., see Hooi, S.C. (51) 15 Ahmad, S., see Wood, G.K. (51) 69

Alcaraz, G., Sampo, B., Tricaud, N., Giraud, P., Martin-Eauclaire, M.-F., Couraud, F. and Dargent, B.

Down-regulation of voltage-dependent sodium channels coincides with a low expression of $\alpha\beta_1$ subunit complexes (51) 143

Aloe, L., see Calzà, L. (51) 60 Arbel, A., see Grifman, M. (51) 179

Bartke, I., see Laurie, D.J. (51) 23 Battaglino, P.B., see Fathi, Z. (51) 49 Blomqvist, A., see Hermanson, O. (51) 188 Brophy, P.J., see Rogers, K.R. (51) 161

Calzà, L., Giardino, L. and Aloe, L.
NGF content and expression in the rat pituitary gland and regulation by thyroid hormone (51) 60

Cardinaux, J.-R., Magistretti, P.J. and Martin, J.-L.

Brain-derived neurotrophic factor stimulates phosphorylation of stathmin in cortical neurons (51) 220

Carvalho, A.P., see Gonçalves, P.P. (51) 106 Chae, H.-D., see Kim, J.-S. (51) 154 Chapleau, M.W., see Meyrelles, S.S. (51) 33 Couraud, F., see Alcaraz, G. (51) 143 Crestani, F., see Penschuck, S. (51) 212 Cunningham, A.M., see Fathi, Z. (51) 49

Dargent, B., see Alcaraz, G. (51) 143 Davidson, B.L., see Meyrelles, S.S. (51) 33 Dawson, S.J., see Deans, Z.C. (51) 1

Deans, Z.C., Dawson, S.J., Kilimann, M.W., Wallace, D., Wilson, M.C. and Latchman, D.S.

Differential regulation of genes encoding synaptic proteins by the Oct-2 transcription factor (51) 1

Delcroix, J.-D., Tomlinson, D.R. and Fernyhough, P.

Diabetes and axotomy-induced deficits in retrograde axonal transport of nerve growth factor correlate with decreased levels of p75^{LNTR} protein in lumbar dorsal root ganglia (51) 82

Elgavish, S., see Grifman, M. (51) 179

Fathi, Z., Cunningham, A.M., Iben, L.G., Battaglino, P.B., Ward, S.A., Nichol, K.A., Pine, K.A., Wang, J., Goldstein, M.E., Iismaa, T.P. and Zimanyi, I.A. Cloning, pharmacological characterization and distribution of a novel galanin receptor (51) 49

Fernyhough, P., see Delcroix, J.-D. (51) 82 Fischer-Colbrie, R., see Tsunashima, K. (51) 42 Flores, G., see Wood, G.K. (51) 69 Fluharty, S.J., see Yee, D.K. (51) 238 Fritschy, J.-M., see Lüscher, B. (51) 197 Fritschy, J.-M., see Penschuck, S. (51) 212

Giardino, L., see Calzà, L. (51) 60 Ginzberg, D., see Grifman, M. (51) 179 Giraud, P., see Alcaraz, G. (51) 143 Glick, D., see Grifman, M. (51) 179 Goldman, D., see Hoover, F. (51) 123 Goldstein, M.E., see Fathi, Z. (51) 49 Gonçalves, P.P., Carvalho, A.P. and Vale, M.G.P.

Regulation of [γ-³ H]aminobutyric acid transport by Ca²+ in isolated synaptic plasma membrane vesicles (51) 106 Griffin, M., see Rogers, K.R. (51) 161

Grifman, M., Arbel, A., Ginzberg, D., Glick, D., Elgavish, S., Shaanan, B. and Soreq, H. In vitro phosphorylation of acetylcholinesterase at non-consensus protein kinase A sites enhances the rate of acetylcholine hydrolysis (51) 179

Guo, W., Shimada, S., Tajiri, H., Yamauchi, A., Yamashita, T., Okada, S. and Tohyama, M.

Developmental regulation of Na⁺/myo-inositol cotransporter gene expression (51) 91

Hankin, M.H., see Hoover, F. (51) 123 Häuselmann, R., see Lüscher, B. (51) 197 Heerding, J.N., see Yee, D.K. (51) 238 Hermanson, O. and Blomqvist, A.

Differential expression of the AP-1/CREbinding proteins FOS and CREB in preproenkephalin mRNA-expressing neurons of the rat parabrachial nucleus after nociceptive stimulation (51) 188

Hinkle, D.A., see Niu, H. (51) 97 Hooi, S.C., Koenig, J.I., Abraczinskas, D.R.

and Kaplan, L.M. Regulation of anterior pituitary galanin gene expression by thyroid hormone (51) 15

Hoover, F., Hankin, M.H., Radel, J.D., Reese, J.S. and Goldman, D.

Axon-target interactions maintain synaptic gene expression in retinae transplanted to intracranial regions of the rat (51) 123

Iben, L.G., see Fathi, Z. (51) 49 Ide, K., see Tukamoto, T. (51) 8 Iismaa, T.P., see Fathi, Z. (51) 49 Ishida, H., see Kikuchi, K. (51) 229

Johnson, R.W., see Yao, J. (51) 170

Kanazawa, I., see Tukamoto, T. (51) 8
Kaplan, L.M., see Hooi, S.C. (51) 15
Kikuchi, K., Ishida, H. and Kimura, T.
Molecular cloning of a novel member of
semaphorin family genes, semaphorin Z (51)
229

Kilimann, M.W., see Deans, Z.C. (51) 1 Kim, J.-E., see Oh, Y.J. (51) 133 Kim, J.-S., Nam, J.-S., Chae, H.-D. and Kim, K.-T.

A protein kinase C-activating phorbol ester enhances transcription of the human DBH gene through a cyclic AMP response element in SK-N-BE(2)C cells (51) 154

Kim, K.-T., see Kim, J.-S. (51) 154 Kimura, T., see Kikuchi, K. (51) 229 Kisley, L.R., see Yee, D.K. (51) 238 Koenig, J.I., see Hooi, S.C. (51) 15

Latchman, D.S., see Deans, Z.C. (51) 1 Laurie, D.J., Bartke, I., Schoepfer, R., Naujoks, K. and Seeburg, P.H.

Regional, developmental and interspecies expression of the four NMDAR2 subunits, examined using monoclonal antibodies (51) 23

Leitgeb, S., see Lüscher, B. (51) 197
Liang, J.-J., see Wood, G.K. (51) 69
Lüscher, B., Häuselmann, R., Leitgeb, S.,
Rülicke, T. and Fritschy, J.-M.
Neuronal subtype-specific expression directed by the GABA_A receptor δ subunit gene promoter/upstream region in transgenic mice and in cultured cells (51) 197

Magistretti, P.J., see Cardinaux, J.-R. (51) 220 Martin-Eauclaire, M.-F., see Alcaraz, G. (51) 143

Lüscher, B., see Penschuck, S. (51) 212

Martin, J.-L., see Cardinaux, J.-R. (51) 220
Meyrelles, S.S., Sharma, R.V., Whiteis, C.A., Davidson, B.L. and Chapleau, M.W.
Adenovirus-mediated gene transfer to cultured nodose sensory neurons (51) 33
Miledi, R., see Ni, Y.G. (51) 115

Nam, J.-S., see Kim, J.-S. (51) 154

Naujoks, K., see Laurie, D.J. (51) 23
Ni, Y.G., Panicker, M.M. and Miledi, R.
Efficient coupling of 5-HT_{1a} receptors to
the phospholipase C pathway in *Xenopus*oocytes (51) 115

Nichol, K.A., see Fathi, Z. (51) 49 Niu, H., Hinkle, D.A. and Wise, P.M.

Dexamethasone regulates basic fibroblast growth factor, nerve growth factor and $$100\beta$$ expression in cultured hippocampal astrocytes (51) 97

Nukina, N., see Tukamoto, T. (51) 8

Oh, Y.J., Uhland-Smith, A., Kim, J.-E. and O'Malley, K.L.

Regions outside of the Bcl-2 homology domains, BH1 and BH2 protect a dopaminergic neuronal cell line from staurosporine-induced cell death (51) 133

Okada, S., see Guo, W. (51) 91 O'Malley, K.L., see Oh, Y.J. (51) 133

Panicker, M.M., see Ni, Y.G. (51) 115

Penschuck, S., Lüscher, B., Fritschy, J.-M. and Crestani, F.

Activation of the GABA_A-receptor δ-subunit gene promoter following pentylenetetrazole-induced seizures in transgenic mice (51) 212

Pine, K.A., see Fathi, Z. (51) 49

Quirion, R., see Wood, G.K. (51) 69

Radel, J.D., see Hoover, F. (51) 123

Reese, J.S., see Hoover, F. (51) 123

Rogers, K.R., Griffin, M. and Brophy, P.J. The secretory epithelial cells of the choroid plexus employ a novel kinesin-related protein (51) 161

Rülicke, T., see Lüscher, B. (51) 197

Sampo, B., see Alcaraz, G. (51) 143 Schoepfer, R., see Laurie, D.J. (51) 23 Schwarzer, C., see Tsunashima, K. (51) 42 Seeburg, P.H., see Laurie, D.J. (51) 23 Shaanan, B., see Grifman, M. (51) 179 Sharma, R.V., see Meyrelles, S.S. (51) 33 Shimada, S., see Guo, W. (51) 91 Soreq, H., see Grifman, M. (51) 179 Sperk, G., see Tsunashima, K. (51) 42 Srivastava, L.K., see Wood, G.K. (51) 69

Tajiri, H., see Guo, W. (51) 91 Tohyama, M., see Guo, W. (51) 91 Tomlinson, D.R., see Delcroix, J.-D. (51) 82 Tricaud, N., see Alcaraz, G. (51) 143 Tsunashima, K., Wolkersdorfer, M., Schwarzer,

sunashima, K., Wolkersdorfer, M., Schwarzer, C., Sperk, G. and Fischer-Colbrie, R. Limbic seizures induce neuropeptide and chromogranin mRNA expression in rat adrenal medulla (51) 42

Tukamoto, T., Nukina, N., Ide, K. and Kanazawa, I.

Huntington's disease gene product, huntingtin, associates with microtubules in vitro (51) 8

Uhland-Smith, A., see Oh, Y.J. (51) 133

Vale, M.G.P., see Gonçalves, P.P. (51) 106

Wallace, D., see Deans, Z.C. (51) 1
Wang, J., see Fathi, Z. (51) 49
Ward, S.A., see Fathi, Z. (51) 49
Whiteis, C.A., see Meyrelles, S.S. (51) 33
Wilson, M.C., see Deans, Z.C. (51) 1
Wise, P.M., see Niu, H. (51) 97
Wolkersdorfer, M., see Tsunashima, K. (51) 42
Wood, G.K., Liang, J.-J., Flores, G., Ahmad, S., Quirion, R. and Srivastava, L.K.
Cloning and in situ hybridization analysis of the expression of polysialyltransferase mRNA in the developing and adult rat brain (51) 69

Yamashita, T., see Guo, W. (51) 91 Yamauchi, A., see Guo, W. (51) 91

Yao, J. and Johnson, R.W.

Induction of interleukin-1β-converting enzyme (ICE) in murine microglia by lipopolysaccharide (51) 170

Yee, D.K., Kisley, L.R., Heerding, J.N. and Fluharty, S.J.

Mutation of a conserved fifth transmembrane domain lysine residue (Lys²¹⁵) attenuates ligand binding in the angiotensin II type 2 receptor (51) 238

Zimanyi, I.A., see Fathi, Z. (51) 49